

Data cable - PSM-KA 9 SUB 25/BB/2METER - 2761059

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



RS-232 cable, 9-pos. D-SUB socket 25-pos on D-SUB socket



Key commercial data

Packing unit	1 pc
Weight per Piece (excluding packing)	190.0 GRM
Custom tariff number	85444290
Country of origin	Germany

Technical data

Dimensions

Fixed cable length	2 m
--------------------	-----

General

Connection 1	D-SUB connection
Connection method	D-SUB-9 female connector
Number of positions	9
Connection 2	D-SUB connection
Connection method	D-SUB-25 female connector
Number of positions	25

Classifications

eCl@ss

eCl@ss 4.0	27230207
eCl@ss 4.1	27230207
eCl@ss 5.0	27230207

Data cable - PSM-KA 9 SUB 25/BB/2METER - 2761059

Classifications

eCl@ss

eCl@ss 5.1	27230207
eCl@ss 6.0	27230207
eCl@ss 7.0	27230207
eCl@ss 8.0	27060390

ETIM

ETIM 2.0	EC001423
ETIM 3.0	EC001423
ETIM 4.0	EC001423
ETIM 5.0	EC000830

UNSPSC

UNSPSC 6.01	30211506
UNSPSC 7.0901	39121008
UNSPSC 11	39121008
UNSPSC 12.01	39121008
UNSPSC 13.2	39121008

Approvals

Approvals

Approvals

GOST

Ex Approvals

Approvals submitted

Approval details

GOST 
--

Drawings

Data cable - PSM-KA 9 SUB 25/BB/2METER - 2761059

Catalog photo



Figure may contain other products.